

	L #	Hits	Search Text	DBs
1	L1	3922 3	oil adj2 water adj2 emulsion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	3710	(polymer or resin) near5 (internal\$5 near5 (crosslink\$5 or cross adj link\$5) or self adj (crosslink\$5 or cross adj link\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	9591 3	(diacrylate or dimethacrylate or triacrylate or trimethacrylate or triallyl adj cyanurate or triallyl adj isocyanurate or diallyl adj terephthalate or divinylbenzene or divinyl adj benzene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L5	1492	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L4	52	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L6	14	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
7	L7	33	4 and (epoxy or blocked adj isocyanate or melamine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	16	4 and oil adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	92	1.ab. and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L11	60	10 and (epoxy or blocked adj isocyanate or melamine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L12	1	5 and oil adj phase same 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L10	155	5 and oil adj phase with (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
13	L13	72	1 and crosslinked near5 (polymer or resin) same (oil or discontinuous) adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L14	0	("6034172").URPN.	USPAT
15	L15	207	water adj2 oil with (transition or convert\$3 or conversion) with oil adj2 water	USPAT
16	L16	70	15 and (crosslink\$5 or cross adj link\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L17	3	15 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L18	79	2 same (carbopol\$5 or rhoplex\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L19	448	1 and (b! adj "15" or ha16 or ha12 or ha8 or ha adj ("12" or "16" or "8") or e adj "2780" or tr adj "520" or ac adj "604" or ac adj "625" or ac adj "1230" or e32 adj np or e! adj 32np)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>20</b>	L20	0	15 and rhoplex\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>21</b>	L22	1	15 and (b! adj "15" or ha16 or ha12 or ha8 or ha adj ("12" or "16" or "8") or e adj "2780" or tr adj "520" or ac adj "604" or ac adj "625" or ac adj "1230" or e32 adj np or e! adj 32np)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>22</b>	L21	64	19 and (epoxy or blocked adj isocyanate or melamine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>23</b>	L23	64	1 and (ha16 or ha12 or ha8 or ha adj ("12" or "16" or "8") or e adj "2780" or tr adj "520" or ac adj "604" or ac adj "625" or ac adj "1230" or e32 adj np or e! adj 32np)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>24</b>	L24	1	15 and crosslinked near5 (polymer or resin) same (oil or discontinuous) adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>25</b>	L25	487	water adj2 oil with (transition or convert\$3 or conversion) with oil adj2 water	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>26</b>	L26	116	water adj2 oil with (transition or convert\$3 or conversion) with oil adj2 water	EPO; JPO; DERWENT
<b>27</b>	L27	4	25 and crosslinked near5 (polymer or resin) same (oil or discontinuous) adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>28</b>	L28	22	25 and crosslinked near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>29</b>	L29	4	1 and rhoplex\$5 same oil adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>30</b>	L30	4	1 and rhoplex\$10 same oil adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>31</b>	L31	1604	1 and crosslinked near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>32</b>	L32	760	(polyurethane or urethane or melamine) near10 (internal\$5 near5 (crosslink\$5 or cross adj link\$5) or self adj (crosslink\$5 or cross adj link\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>33</b>	L33	16	1 and 32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>34</b>	L35	506	31 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>35</b>	L34	81	31 and (internal\$5 near5 (crosslink\$5 or cross adj link\$5) or self adj (crosslink\$5 or cross adj link\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>36</b>	L37	151	1.ab. and crosslinked near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>37</b>	L42	0	25 and rhoplex\$10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>38</b>	L36	135	1 same crosslinked near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>39</b>	L38	2	1 same 32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>40</b>	L39	1	15 same crosslinked near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>41</b>	L40	22	25 and crosslinked near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>42</b>	L41	10	25 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>43</b>	L43	15	25 and (internal\$5 near5 (crosslink\$5 or cross adj link\$5) or self adj (crosslink\$5 or cross adj link\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>44</b>	L44	235	1 and (internal\$5 near5 (crosslink\$5 or cross adj link\$5) or self adj (crosslink\$5 or cross adj link\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>45</b>	L45	6444	1 and oil adj phase and (water or aqueous) near2 phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>46</b>	L46	1248	oil adj2 water adj2 microemulsion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>47</b>	L47	0	46 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>48</b>	L49	0	46 and 32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>49</b>	L51	635	45 and crosslinked near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>50</b>	L52	53	rhoplex\$5 adj (k3 or k adj "3")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>51</b>	L53	5	52 same (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>52</b>	L54	2	hycar with 2600x112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>53</b>	L55	110	44 and (epoxy or blocked near5 isocyanate or melamine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>54</b>	L56	1	55 and cation adj electrodeposition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>55</b>	L57	2	55 and electrodeposition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>56</b>	L58	2	1 and cation adj electrodeposition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>57</b>	L59	79	44 and (cationic with (epoxy or epoxide) or blocked near5 isocyanate or melamine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>58</b>	L60	2	("20040242742").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>59</b>	L61	33	55 not 59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>60</b>	L50	15	45 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>61</b>	L48	48	46 and crosslinked near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
62	L62	1	46 and (internal\$5 near5 (crosslink\$5 or cross adj link\$5) or self adj (crosslink\$5 or cross adj link\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	L63	342	46 and oil adj phase and (water or aqueous) near2 phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	L64	1	46 and oil adj phase same (rhoplex\$10 or carbopol or (polymer or resin or polyurethane or urethane) near10 (crosslinked or cross adj linked)) and (water or aqueous) near2 phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	L65	6	ep-381347-\$ .did. or ep- 612818-\$ .did. or jp- 04279679-\$ .did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	L66	2	("20030021847") .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	L67	2	("4798682") .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
68	L68	41	(1 46) and oil adj phase same (crosslinked or cross adj linked) same (polyacrylic adj acid or acrylic) and (water or aqueous) near2 phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	L69	2	("4735742").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	L70	0	46 and cation adj electrodeposition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	L71	4	(1 46) and cationic adj electrodeposition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	L72	4	71 and (crosslink\$5 or cross adj link\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	L73	89	2 and cation\$2 adj electrodeposition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>74</b>	L74	7	73 and (oil near5 (base\$2 or dispersion or phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>75</b>	L75	33	73 and (solvent near5 (base\$2 or dispersion or phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB